## Asthma Treatment Plan — Student (This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)







(Please Pr	int)			йиж.рвс	nJ.org	
Name				Date of Birth	Effective Date	
Doctor			Parent/Guardian (if applicable)		Emergency Contact	
Phone			Phone Phone			
HEALTHY	(Green Zone)	▶ Tak moi	e daily control me e effective with a	edicine(s). Some "spacer" – use i	inhalers may be f directed.	Triggers Check all items that trigger
	You have <u>all</u> of these:		MEDICINE HOW MUCH to take and HOW OFTEN to take it			
(آوت)	<ul><li>Breathing is good</li><li>No cough or wheeze</li></ul>	☐ Adva	☐ Advair® HFA ☐ 45, ☐ 115, ☐ 2302 puffs twice a day			
• Sleep through		☐ Alves	☐ Aerospan™       ☐ 1, ☐ 2 puffs twice a day         ☐ Alvesco® ☐ 80, ☐ 160       ☐ 1, ☐ 2 puffs twice a day         ☐ Dulera® ☐ 100, ☐ 200       2 puffs twice a day			
R. T.	the night	☐ Dule	ra® 🔲 100, 🔲 200	2 puffs tv	vice a day	☐ Allergens ○ Dust Mites,
• Can work, exercise,			☐ Flovent® ☐ 44, ☐ 110, ☐ 2202 puffs twice a day ☐ Qyar® ☐ 40, ☐ 80 ☐ 1, ☐ 2 puffs twice a day			
() W	and play	☐ Sym	☐ Qvar® ☐ 40, ☐ 80 ☐ ☐ 1, ☐ 2 puffs twice a day ☐ Symbicort® ☐ 80, ☐ 160 ☐ ☐ 1, ☐ 2 puffs twice a day ☐ Advair Diskus® ☐ 100, ☐ 250, ☐ 500 ☐ 1 inhalation twice a day			
		Adva	<ul> <li>☐ Advair Diskus®</li> <li>☐ 100,</li> <li>☐ 250,</li> <li>☐ 500</li> <li>☐ 1 inhalation twice a day</li> <li>☐ Asmanex® Twisthaler®</li> <li>☐ 110,</li> <li>☐ 220</li> <li>☐ 1,</li> <li>☐ 2 inhalations</li> <li>☐ once or</li> <li>☐ twice a day</li> </ul>			
		☐ Flove	☐ Asmanex® Twistnater® ☐ 110, ☐ 220 ☐ ☐ 1, ☐ 2 Immarations ☐ once of ☐ twice a day			
		□ Pulm	☐ Flovent® Diskus® ☐ 50 ☐ 100 ☐ 250 ☐ 1 inhalation twice a day ☐ Pulmicort Flexhaler® ☐ 90, ☐ 180 ☐ 1, ☐ 2 inhalations ☐ once or ☐ twice a day			
		∐ Pulm   □ Sing	☐ Pulmicort Respules® (Budesonide) ☐ 0.25, ☐ 0.5, ☐ 1.01 unit nebulized ☐ once or ☐ twice a day ☐ Singulair® (Montelukast) ☐ 4, ☐ 5, ☐ 10 mg1 tablet daily			
		☐ Othe				cockroaches  Odors (Irritants)
And/or Peak flow above O						O Cigarette smoke
					fter taking inhaled medicine	
	If exercise triggers yo	ur asthm	ıa, take	puff(s) _	minutes before exercise	,
						cleaning products,
	- ,	5 F2 S F3 S	tinue dally control me	calcine(s) and ADD q	uick-reliet medicine(s),	scented products
	You have <u>any</u> of these: • Cough	MEDIC	MEDICINE HOW MUCH to take and HOW OFTEN to take it			
( "3.7)	Mild wheeze		Albuterol MDI (Pro-air® or Proventil® or Ventolin®) _2 puffs every 4 hours as needed			
	◆ Tight chest		Xopenex®2 puffs every 4 hours as needed			
	<ul> <li>Coughing at night</li> </ul>	☐ Albu	Albuterol 🗆 1.25, 🗆 2.5 mg1 unit nebulized every 4 hours as needed			<ul> <li>Sudden temperature</li> </ul>
			Duoneb®1 unit nebulized every 4 hours as needed Xopenex® (Levalbuterol) □ 0.31, □ 0.63, □ 1.25 mg _1 unit nebulized every 4 hours as needed			
Con			ombivent Respirat®1 inhalation 4 times a day			change o Extreme weather
in quick renor intentition does not not within   I Incres			crease the dose of, or add:			- hot and cold Ozone alert days
15-20 minutes or has been used more than 2 times and symptoms persist, call your ☐ Othe			•			□ Foods:
Z IIIIGS AIIU SVIIIDIUIIIS DEISISI, VAII VUUI I			quick-relief medicine is needed more than 2 times a			0
			ek, except before	exercise, then c	all your doctor.	<u> </u>
EMERGENCY (Red Zone)       Take these medicines NOW and CALL  Asthma can be a life-threatening illness. Do not wa						O
getting worse fast: • Quick-relief medicine did			MEDICINE HOW MUCH to take and HOW OFTEN to take it			
not help within 15-20 minutes  • Breathing is hard or fast  • Nose opens wide • Ribs show  • Trouble walking and talking			Albuterol MDI (Pro-air® or Proventil® or Ventolin®)4 puffs every 20 minutes			
			☐ Xopenex®4 puffs every 20 minutes ☐ Albuterol ☐ 1.25, ☐ 2.5 mg1 unit nebulized every 20 minutes			
			1 Unit nebulized every 20 minutes			plan is meant to assist, not replace, the clinical
And/or	• Lips blue • Fingernails blue	ıē  □X	openex® (Levalbuterol) 🗌 0.31	, 🗆 0.63, 🗆 1.25 mg1	unit nebulized every 20 minutes	decision-making
Peak flow	• Other:		ombivent Respimat® ther		Inhalation 4 times a day	required to meet individual patient needs.
Delow	ire fer ei fin ech och å dygren it fransk				oon oo maanaan ka maanaan oo ah	1
Distributers: The user in Novich ACC Matter Instruction between the property of the popular products in a Novi In the Accordance products of the Matter Instruction of the Matter Instruction of the Matter Instruction of the Accordance of the Matter Instruction of the Accordance of t			elf-administer Medication:	PHYSICIAN/APN/PA SIGNATU	IRF	DATE
AUDIVINESS on the second to the second such that the control second seco		apable and has been instructed	oroganym nym ordnym c	Physician's Orders	DILL	
		thod of self-administering of the	PARENT/GIIARDIAN CIGNIATI	JRE		
The Partices II Mark Collect of the day reconstripted from lace Anathra in the lace of Teachers executed play in the first in the Collect of the Anathra Collect of Section 1 (1) and the Collect of			ihaled medications named above ith N.I I aw	LI MILINI/GOANDIAN GIGNALI	Л.Б	
			not approved to self-medicate.	PHYSICIAN STAMP		

REVISED AUGUST 2014
Permission to reproduce blank form • www.pacnj.org

Make a copy for parent and for physician file, send original to school nurse or child care provider.